

## WEST Search History for Application 10577120

Creation Date: 2011121823:00

### Interference Searches

Query	DB	Op.	Plur.	Thes.	Date
(electrodialy \$ or (electro near2 (dialysis or dialytic \$))).clm.	PGPB	OR	YES		12-18-2011
((pump or valve) same (controller or controlling or controlled or monitor or monitoring or monitored)).clm.	PGPB	OR	YES		12-18-2011
(((pump or valve) same (controller or controlling or controlled or monitor or monitoring or monitored)).clm.) and ((electrodialy \$ or (electro near2 (dialysis or dialytic \$))).clm.)	PGPB	OR	YES		12-18-2011

### Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
electrodialy\$ or (electro near2 (dialysis or dialytic\$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011
(electrodialy\$ or (electro near2 (dialysis or dialytic\$)) ) and (controller or controlling or controlled or monitor or monitoring or monitored)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011
(electrodialy\$ or (electro near2 (dialysis or dialytic\$)) and (controller or controlling or controlled or monitor or monitoring or monitored) ) and ((feed or dilute) and (concentrate or concentration))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011
((feed or dilute) and (concentrate or concentration)) same2 (controller or controlling or controlled or monitor or monitoring or monitored)	PGPB, USPT, USOC,	OR	YES		12-18-2011

	EPAB, JPAB, DWPI, TDBD				
((feed or dilute) and (concentrate or concentration)) same2 (controller or controlling or controlled or monitor or monitoring or monitored)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011
((((feed or dilute) and (concentrate or concentration)) same2 (controller or controlling or controlled or monitor or monitoring or monitored) ) and (electrodialy\$ or (electro near2 (dialysis or dialytic\$)) and (controller or controlling or controlled or monitor or monitoring or monitored) and ((feed or dilute) and (concentrate or concentration)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011
((((feed or dilute) and (concentrate or concentration)) same2 (controller or controlling or controlled or monitor or monitoring or monitored) and electrodialy\$ or (electro near2 (dialysis or dialytic\$)) and (controller or controlling or controlled or monitor or monitoring or monitored) and ((feed or dilute) and (concentrate or concentration)) ) and sequential	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011
((((feed or dilute) and (concentrate or concentration)) same2 (controller or controlling or controlled or monitor or monitoring or monitored) and electrodialy\$ or (electro near2 (dialysis or dialytic\$)) and (controller or controlling or controlled or monitor or monitoring or monitored) and ((feed or dilute) and (concentrate or concentration)) ) and sequential\$'	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011
((((feed or dilute) and (concentrate or concentration)) same2 (controller or controlling or controlled or monitor or monitoring or monitored) and electrodialy\$ or (electro near2 (dialysis or dialytic\$)) and (controller or controlling or controlled or monitor or monitoring or monitored) and ((feed or dilute) and (concentrate or concentration)) ) and sequential\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011
((((feed or dilute) and (concentrate or concentration)) same2 (controller or controlling or controlled or monitor or monitoring or monitored) and electrodialy\$ or (electro near2 (dialysis or dialytic\$)) and (controller or controlling or controlled or monitor or monitoring or monitored) and ((feed or dilute) and (concentrate or concentration)) and sequential\$ ) and	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011

<b>pump</b>					
<b>(pump or valve) same (controller or controlling or controlled or monitor or monitoring or monitored)</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011
<b>((pump or valve) same (controller or controlling or controlled or monitor or monitoring or monitored) ) and (((feed or dilute) and (concentrate or concentration)) same2 (controller or controlling or controlled or monitor or monitoring or monitored) and electro dialy\$ or (electro near2 (dialysis or dialytic\$)) and (controller or controlling or controlled or monitor or monitoring or monitored) and ((feed or dilute) and (concentrate or concentration)) and sequential\$ )</b>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-18-2011